

# Product Verification

## Sustainability


according to LEED Building Design and Construction V4 (2015)

### ■ Product Systems

**Rubber EPDM**

**Q-railing Europe GmbH & Co. KG**

Components of guardrail.



### ■ Product Assessment

#### Materials and Resources

##### Criteria

##### Product Verification

MR Credit Life-Cycle Impact Reduction - Option 4: Whole-Building Life-Cycle Assessment

EPD available: No

MR Credit BPDO - Environmental Product Declaration - Option 1: Environmental Product Declaration

0 % weighted value

MR Credit BPDO - Environmental Product Declaration - Option 2: Multi-Attribute Optimization

0 % weighted value



MR Credit BPDO - Sourcing of Raw Materials - Option 1: Raw Material Source and Extraction Reporting	0 % weighted value
MR Credit BPDO - Sourcing of Raw Materials - Option 2: Leadership Extraction Practices	50 % weighted value
MR Credit BPDO - Material Ingredients - Option 1: Material Ingredient Reporting	0 % weighted value
MR Credit BPDO - Material Ingredients - Option 2: Material Ingredient Optimization	100 % weighted value
MR Credit BPDO - Material Ingredients - Option 3: Product Manufacturer Supply Chain Optimization	0 % weighted value
Location Valuation Factor	No

## Indoor Environmental Quality

### Criteria

### Product Verification

EQ Credit Low-Emitting Materials (except Healthcare and Schools)	No
--	----

Legend: yes = Product contributes toward satisfying the credit, N/A = Product not relevant in the credit, no = Credit requirements are not proven

## ■ Summary

### The product contributes to the certification:

- The product has an Environmental Product Declaration (EPD), which can be used to calculate the building life cycle assessment under LEED MR Building Life-Cycle Impact Reductions - Option 4: Whole-Building Life-Cycle Assessment: EPD available: No
- Weighted Product Value on Credit BPDO - Environmental Product Declaration - Option 1: Environmental Product Declaration: 0 % weighted value
- Weighted Product Value on Credit BPDO - Environmental Product Declaration - Option 2: Multi-Attribute Optimization: 0 % weighted value
- Weighted Product Value on Credit BPDO - Sourcing of Raw Materials - Option 1: Raw Material Source and Extraction Reporting: 0 % weighted value
- Weighted Product Value on Credit BPDO - Sourcing of Raw Materials - Option 2: Leadership Extraction Practices: 50 % weighted value
- Weighted Product Value on Credit BPDO - Material Ingredients - Option 1: Material Ingredient Reporting: 0 % weighted value
- Weighted Product Value on Credit BPDO - Material Ingredients - Option 2: Material Ingredient Optimization: 100 % weighted value
- Weighted Product Value on Credit BPDO - Material Ingredients - Option 3: Supply Chain Optimization: 0 % weighted value



- Information for Location Valuation Factor is available: No
- The entire product contributes toward satisfying EQ Credit: Low-Emitting Materials: No


## ■ Green Building Certification System

This verification is the evaluation and ranking of products in terms of the certification system LEED version 4 (Building Design and Construction). The USGBC (U.S. Green Building Council) generally does not certify products. Therefore the project team or the manufacturer is responsible to declare compliance with respect to the LEED criteria. Notice: This verification is generated by the Assessment Service of BMS. The distribution or publication by third parties is not permitted. The data sheet is not a LEED certification document. The information is based on the manufacturer's specifications. Despite a diligent treatment of all information BMS can not make any warranties about the completeness, reliability and accuracy of this information. The requirements of LEED can be interpreted differently and depend on the project and scope of application. Therefore, BMS cannot accept any liability for the evaluation in terms of the LEED criteria. The user of the data sheet, the user / purchaser of the product and the consultant / planner, who is advising on this product has the duty to check the product for the intended application at their own responsibility. When a new version of this product verification is produced, the previous version loses its validity.

Source: [www.usgbc.org](http://www.usgbc.org)

## ■ Certification System and Categories

### Category Weighting



### Category

### Category considered in product verification

Integrative Process (IP)	No
Location and Transportation (LT)	No
Sustainable Sites (SS)	No
Water Efficiency (WE)	No
Energy and Atmosphere (EA)	No
Materials and Ressources (MR)	Yes
Indoor Environmental Quality (EQ)	Yes
Innovation (IN)	No
Regional Priority (RP)	No

Source: LEED v4 - New Construction



# Detailed Verification

according to LEED Building Design and Construction V4 (2015)

## Materials and Resources

### MR Credit Life-Cycle Impact Reduction - Option 4: Whole-Building Life-Cycle Assessment

The product has an Environmental Product Declaration (EPD), which can be used to calculate the building life cycle assessment under LEED MR Building Life-Cycle Impact Reductions - Option 4: Whole-Building Life-Cycle Assessment:

Rubber EPDM	EPD available: No
-------------	-------------------

An environmental product declaration exists for the product:

Rubber EPDM	No
-------------	----

### MR Credit BPDO - Environmental Product Declaration - Option 1: Environmental Product Declaration

Weighted Product Value on Credit BPDO - Environmental Product Declaration - Option 1: Environmental Product Declaration:

Rubber EPDM	0 % weighted value
-------------	--------------------

An environmental product declaration exists for the product:

Rubber EPDM	No
-------------	----

### MR Credit BPDO - Environmental Product Declaration - Option 2: Multi-Attribute Optimization

Weighted Product Value on Credit BPDO - Environmental Product Declaration - Option 2: Multi-Attribute Optimization:

Rubber EPDM	0 % weighted value
-------------	--------------------

An environmental product declaration exists for the product:

Rubber EPDM	No
-------------	----

### MR Credit BPDO - Sourcing of Raw Materials - Option 1: Raw Material Source and Extraction Reporting

Weighted Product Value on Credit BPDO - Sourcing of Raw Materials - Option 1: Raw Material Source and Extraction Reporting:

Rubber EPDM	0 % weighted value
-------------	--------------------

There is a corporate sustainability reports (CSR) report from the manufacturer:

Rubber EPDM	No
-------------	----



■ MR Credit BPDO – Sourcing of Raw Materials – Option 2: Leadership Extraction Practices

Weighted Product Value on Credit BPDO - Sourcing of Raw Materials - Option 2: Leadership Extraction Practices:

Rubber EPDM	50 % weighted value
-------------	---------------------

Extended producer responsibility

Content of materials for a closed-loop recycling or take-back program in the entire product:

Rubber EPDM	100 %
-------------	-------

The manufacturer of the product participates in an extended producer responsibility program or is directly responsible for extended producer responsibility (closed-loop recycling program or product take-back program):

Rubber EPDM	Yes
-------------	-----

Do you want to enter the content of materials for a closed-loop recycling or take-back program for the entire product? Otherwise it will be automatically calculated from the components. If you do not have any components for your product, we recommend that you enter here the content of materials for the entire product:

Rubber EPDM	Yes
-------------	-----

Content of materials for a closed-loop recycling or take-back program:

Rubber EPDM	100 %
-------------	-------

Bio-based materials

Content of SAN-certified bio-based materials in the entire product:

Rubber EPDM	0 %
-------------	-----

Wood products

Content of FSC-certified wood-based materials in the entire product:

Rubber EPDM	0 %
-------------	-----

Materials reuse

Content of salvaged, refurbished, or reused products or materials in the entire product:

Rubber EPDM	0 %
-------------	-----

Recycled content

Creditable recycled content according to LEED for the entire product:

Rubber EPDM	0 %
-------------	-----

Postconsumer recycled content for the entire product:

Rubber EPDM	0 %
-------------	-----



Do you want to enter the recycled content for the entire product? Otherwise it will be automatically calculated from the components. If you do not have components for your product, we recommend that you enter the recycling percentage for the entire product here:

Rubber EPDM	Yes
-------------	-----

Postconsumer recycled content of product (creditable):

Rubber EPDM	0 %
-------------	-----

Postconsumer recycled content of the product:

Rubber EPDM	0 %
-------------	-----

Postconsumer recycled content for steel according to LEED:

Rubber EPDM	0 %
-------------	-----

The product is made of steel:

Rubber EPDM	No
-------------	----

Preconsumer recycled content of the product:

Rubber EPDM	0 %
-------------	-----

Preconsumer recycled content for the entire product:

Rubber EPDM	0 %
-------------	-----

#### MR Credit BPDO – Material Ingredients – Option 1: Material Ingredient Reporting

Weighted Product Value on Credit BPDO - Material Ingredients - Option 1: Material Ingredient Reporting:

Rubber EPDM	0 % weighted value
-------------	--------------------

A manufacturer inventory with all ingredients (to at least 0.1 %) identified by CASRN exists for the product:

Rubber EPDM	No
-------------	----

A Health Product Declaration (HPD) exists for the product:

Rubber EPDM	No
-------------	----

Certified according Declare - all ingredients have been evaluated and disclosed down to 0,1 % = 1000 ppm:

Rubber EPDM	No
-------------	----

Certified according Product Lens:

Rubber EPDM	No
-------------	----

Certified according Cradle to Facts - NSF/ANSI 336: Sustainability Assessment for Commercial Furnishings Fabric:

Rubber EPDM	No
-------------	----



Assessed according ANSI/BIFMA e3 Furniture Sustainability standard - Product earned at least 3 points under 7.5.1.3 Advanced Level in e3-2014 or 3 points under 7.4.1.3 Advanced Level in e3-2012:

Rubber EPDM	No
-------------	----

Certified with Cradle to Cradle:

Rubber EPDM	No
-------------	----

Cradle to Cradle Standard Version:

Rubber EPDM	noentry
-------------	---------

Cradle to Cradle Level:

Rubber EPDM	noentry
-------------	---------

Certified with Cradle to Cradle Material Health:

Rubber EPDM	No
-------------	----

Cradle to Cradle Material Health Level:

Rubber EPDM	noentry
-------------	---------

For Cradle to Cradle Material Health are at least 90% of materials assessed by weight:

Rubber EPDM	No
-------------	----

#### MR Credit BPDO - Material Ingredients - Option 2: Material Ingredient Optimization

Weighted Product Value on Credit BPDO - Material Ingredients - Option 2: Material Ingredient Optimization:

Rubber EPDM	100 % weighted value
-------------	----------------------

SVHC according REACH < 0,01 % (100 ppm):

Rubber EPDM	Yes
-------------	-----

The Product have fully inventoried chemical ingredients to 100 ppm and no Benchmark 1 hazard according to GreenScreen v1.2 Benchmark. The product is assessed with "GreenScreen List Translator":

Rubber EPDM	No
-------------	----

The Product have fully inventoried chemical ingredients to 100 ppm and no Benchmark 1 hazard according to GreenScreen v1.2 Benchmark. The product is assessed with "GreenScreen Assessment":

Rubber EPDM	No
-------------	----

Certified with Cradle to Cradle:

Rubber EPDM	No
-------------	----

Cradle to Cradle Standard Version:

Rubber EPDM	noentry
-------------	---------





Cradle to Cradle Level:

Rubber EPDM	noentry
-------------	---------

## MR Credit BPDO – Material Ingredients – Option 3: Product Manufacturer Supply Chain Optimization

Weighted Product Value on Credit BPDO - Material Ingredients - Option 3: Supply Chain Optimization:

Rubber EPDM	0 % weighted value
-------------	--------------------

Manufacturer is certified according ISO 14001 - Environmental Management System:

Rubber EPDM	No
-------------	----

Manufacturer is certified according OHSAS 18000 - Health and Safety Management System:

Rubber EPDM	No
-------------	----

## Location Valuation Factor

Information for Location Valuation Factor is available:

Rubber EPDM	No
-------------	----

Place of raw material extraction (e.g D-70563 Stuttgart):

Rubber EPDM	-
-------------	---

Place of manufacture (e.g. D-70563 Stuttgart):

Rubber EPDM	-
-------------	---

Place of purchase incl. distribution (e.g. D-70563 Stuttgart):

Rubber EPDM	-
-------------	---

The distance between place of raw material extraction and manufacture is less than 100 miles/160 km:

Rubber EPDM	No
-------------	----

## Indoor Environmental Quality

### EQ Credit Low-Emitting Materials (except Healthcare and Schools)

The entire product contributes toward satisfying EQ Credit: Low-Emitting Materials:

Rubber EPDM	No
-------------	----

The product contributes toward satisfying EQ Credit 4: Low-Emitting Materials:

Rubber EPDM	No
-------------	----

Ceilings, walls, thermal, and acoustic insulation

The entire product contributes toward satisfying EQ Credit 4: Low Emitting Materials, Category Ceilings, walls, thermal, and acoustic insulation:

Rubber EPDM	No
-------------	----



The product contributes toward satisfying EQ Credit 4: Low Emitting Materials, Category Ceilings, walls, thermal, and acoustic insulation:

Rubber EPDM	No
-------------	----

The product is a ceiling, wall, acoustic or thermal insulation material:

Rubber EPDM	Yes
-------------	-----



#### ■ Contact Details Manufacturer

##### **Q-railing Europe GmbH & Co. KG**

Marie-Curie-Straße 8 - 14  
46446 Emmerich am Rhein  
DE  
[www.q-railing.com](http://www.q-railing.com)



#### ■ Disclaimer

This verification is the evaluation and ranking of products in terms of the certification system LEED version 4 (Building Design and Construction). The USGBC (U.S. Green Building Council) generally does not certify products. Therefore the project team or the manufacturer is responsible to declare compliance with respect to the LEED criteria. Notice: This verification is generated by the Assessment Service of BMS. The distribution or publication by third parties is not permitted. The data sheet is not a LEED certification document. The information is based on the manufacturer's specifications. Despite a diligent treatment of all information BMS can not make any warranties about the completeness, reliability and accuracy of this information. The requirements of LEED can be interpreted differently and depend on the project and scope of application. Therefore, BMS cannot accept any liability for the evaluation in terms of the LEED criteria. The user of the data sheet, the user / purchaser of the product and the consultant / planner, who is advising on this product has the duty to check the product for the intended application at their own responsibility. When a new version of this product verification is produced, the previous version loses its validity.