



EASY GLASS®

BASE GLASS CLAMPS

MAKE A DESIGN
STATEMENT



MOD 61

60

- Light use, indoors and outdoors
- With elongated holes
- Passes through the glass



MOD 62

61

- Light use, indoors and outdoors
- Satin or mirror finish
- Passes through the glass



For a glass railing
with a completely
original look

MOD 6000

62

- Light use, indoors and outdoors
- Single-anchor installation
- Clamps the glass
- Optional security pin
- Built-in spirit level
- No visible screws


Railing bases

SATIN

EASY GLASS® - Base glass clamp, top mount [glass pedestrian barrier]



Rubber inlays
are not included



MOD 61

316

OUTDOOR

T (glass thickness)			
14.6100.000.12	see T in MOD 5063	QS-519 229	1

NEW





DESIGN
product

Railing bases

SATIN

All dimension drawings are in inches

EASY GLASS® - Cover cap for MOD 61



MOD 0512

316

OUTDOOR

	Ø	D	
14.0512.048.12	1.9" (48.3 mm)	4.13" (105 mm)	2

NEW

Railing bases

Rubber inlay for MOD 61

Don't forget
to order rubber
inlays!



MOD 5063







Accessories

	T (glass thickness)	Pieces per glass clamp	
Monolithic			
19.5063.012.00	1/2" (12 mm)	2	2
Laminated			
19.5063.013.00	1/2" (12.76 mm)	2	2
19.5063.017.00	5/8" (16.76 mm)	2	2
19.5063.018.00	11/16" (17.52 mm)	2	2

NEW

Q-INFO

MOD 61




Railing bases

SATIN

EASY GLASS® - Base glass clamp, top mount
[glass pedestrian barrier]



Rubber inlays
are not included



MOD 62

316

OUTDOOR

T (glass thickness)

14.6200.000.12	see T in MOD 5064	QS-519 229	1
NEW 14.6200.000.10	see T in MOD 5064	QS-519 229	1



DESIGN
product

Railing bases

Rubber inlays for MOD 62



Don't forget
to order rubber
inlays!


MOD 5064

Accessories

	Monolithic	T (glass thickness)	Pieces per glass clamp	
NEW 19.5064.012.00		1/2" (12 mm)	2	2
NEW 19.5064.015.00		19/32" (15 mm)	2	2
	Laminated	T (glass thickness)	Pieces per glass clamp	
NEW 19.5064.013.00		1/2" (12.76 mm)	2	2
NEW 19.5064.014.00		9/16" (13.52 mm)	2	2
NEW 19.5064.017.00		5/8" (16.76 mm)	2	2
NEW 19.5064.018.00		11/16" (17.52 mm)	2	2

Q-INFO

MOD 62









Satin



Mirror finish

Q-INFO

MOD 62




Railing bases

SATIN

EASY GLASS® - Base glass clamp, top mount
[glass pedestrian barrier]



Rubber inlays
are not included



MOD 6000

316

OUTDOOR

	T (glass thickness)		
14.6000.000.12	see T in MOD 5062	QS-60 228	1




DESIGN
product

Accessories

All dimension drawings are in inches

Security pin for glass clamps



Optional for MOD 6000

MOD 5015

Accessories

	L	
19.5015.030.00	1-3/16"	4

Railing bases

Rubber inlay for MOD 6000



Don't forget
to order rubber
inlays!



MOD 5062

Accessories

	T (glass thickness)	Pieces per glass clamp	
Monolithic			
19.5062.012.00	1/2" (12 mm)	2	2
NEW 19.5062.015.00	19/32" (15 mm)	2	2
Laminated			
NEW 19.5062.013.00	1/2" (12.76 mm)	2	2
NEW 19.5062.014.00	9/16" (13.52 mm)	2	2
NEW 19.5062.017.00	5/8" (16.76 mm)	2	2
NEW 19.5062.018.00	11/16" (17.52 mm)	2	2

Q-INFO

MOD 5015









Security pin is optional. Please order security pins and fixing bolts separately.



Assembly video:
q-railing.com/
qr-6000

Q-INFO

MOD 6000





MOD 6000