



EDGE PROTECTION

74

CAP RAILS round

84

CAP RAILS square / rectangular

77

U-PROFILES


74

Edge protection

SATIN

EASY GLASS® - Glass edge protection profile, rectangular


All dimension drawings are in inches



MOD 6940

316

OUTDOOR	U	T (glass thickness)	
14.6940.114.12	9/16"	1/2" - 9/16"	L = 16.4' (5000 mm)
14.6940.118.12	23/32"	5/8" - 11/16"	L = 16.4' (5000 mm)
14.6940.122.12	7/8"	13/16" - 27/32"	L = 16.4' (5000 mm)



MOD 6340


316

OUTDOOR	U	T (glass thickness)	
14.6340.114.12	9/16"	1/2" - 9/16"	1
14.6340.118.12	23/32"	5/8" - 11/16"	1
14.6340.122.12	7/8"	13/16" - 27/32"	1

NEW

Edge protection

EASY GLASS® - U-profiles, rectangular



MOD 6940

Aluminum

Brushed, anodized

OUTDOOR	U	T (glass thickness)	W	H	
16.6940.013.18	17/32"	1/2" (12.76 mm)	11/16"	19/32"	L = 16.4' (5000 mm)
NEW 16.6940.018.18	23/32"	5/8" - 11/16" (16.76 - 17.52 mm)	7/8"	3/4"	L = 16.4' (5000 mm)
16.6940.022.18	7/8"	27/32" (21.52 mm)	1"	3/4"	L = 16.4' (5000 mm)



Accessories

Consumable articles - Double-sided adhesive tape



3M Acrylic Foam RP45, cover 3/64" (1.1 mm)

MOD 1361

Accessories

	Q	W	L (ft)	
19.1361.012.00	Q-111	1/2"	108'	1
19.1361.016.00	Q-98	5/8"	108'	1
19.1361.020.00	Q-99	25/32"	108'	1




MOD 1350

Accessories

	Q	W	L	
19.1350.018.00	Q-52	3/4"	216'	1

Q-INFO MOD 16.6940


Q-52
235



Q-INFO MOD 14.6940 / 6340


1

Q-98
Q-99
Q-111
235



2


Q-INFO



Edge protection

SATIN

EASY GLASS® - U-profile, rectangular



MOD 6940

316


OUTDOOR	U	T (glass thickness)	W	H	
14.6940.030.12	15/16"	5/16" - 27/32" (8 - 21.52 mm)	1-3/16"	1-1/16"	L = 16.4' (5000 mm)
NEW 14.6940.040.12	1-5/16"	27/32 - 1-1/4" (21.52 - 31.52 mm)	1-7/12"	1-7/16"	L = 16.4' (5000 mm)



Edge protection

SATIN

EASY GLASS® - Connector, rectangular



MOD 6340



316

OUTDOOR	U	T (glass thickness)	H	
14.6340.030.12	15/16"	5/16" - 27/32" (8 - 21.52 mm)	1-1/16"	1
NEW 14.6340.040.12	1-5/16"	27/32 - 1-1/4" (21.52 - 31.52 mm)	1-7/16"	1

Edge protection

All dimension drawings are in inches

Rubber inlays for MOD 6940



MOD 50

U = 15/16"

Accessories

Monolithic	U	T (glass thickness)	
19.5042.211.00	15/16"	1/2" (12 mm)	L=8.2' (2500 mm)
19.5042.216.00	15/16"	19/32" (15 mm)	L=8.2' (2500 mm)
19.5042.219.00	15/16"	3/4" (19 mm)	L=8.2' (2500 mm)
19.5042.011.00	15/16"	1/2" (12 mm)	L=16.4' (5000 mm)
19.5042.016.00	15/16"	19/32" (15 mm)	L=16.4' (5000 mm)
19.5042.019.00	15/16"	3/4" (19 mm)	L=16.4' (5000 mm)
Laminated			
19.5042.211.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=8.2' (2500 mm)
19.5042.216.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=8.2' (2500 mm)


19.5042.008.00	15/16"	5/16"-3/8" (8,76-10,76 mm)	L=16.4' (5000 mm)
19.5042.011.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=16.4' (5000 mm)
19.5042.016.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=16.4' (5000 mm)
NEW 19.5042.022.00	15/16"	27/32" (21,52 mm)	L=16.4' (5000 mm)

U = 1-1/16"

Accessories

Laminated	U	T (glass thickness)	
19.5048.011.00	1-1/16"	1/2"-9/16" (12-13,52 mm)	L=16.4' (5000 mm)
19.5048.015.00	1-1/16"	5/8"-11/16" (16,76-17,52 mm)	L=16.4' (5000 mm)
NEW 19.5048.022.00	1-1/16"	13/16"-27/32" (20,76-21,52 mm)	L=16.4' (5000 mm)
NEW 19.5048.024.00	1-1/16"	31/32"-1" (24,76-25,52 mm)	L=16.4' (5000 mm)

Q-INFO MOD 6340




Edge protection

SATIN

EASY GLASS® - Straight end, rectangular

All dimension drawings are in inches





MOD 6345

316

OUTDOOR

	U	T (glass thickness)	W	H	
14.6345.030.12	15/16"	5/16" - 27/32" (8 - 21.52 mm)	1-3/16"	1-1/16"	1
NEW 14.6345.040.12	1-5/16"	27/32 - 1-1/4" (21.52 - 31.52 mm)	1-7/12"	1-7/16"	1


Q-INFO MOD 6345



Q-24


Q-seal

19.1340.310.00



Handrails

EASY GLASS® - Cap rails 1.3"x1.54" (33x39 mm)



MOD 6920

Aluminum Matt silver effect, anodized

OUTDOOR


16.6920.339.08

L = 16.4' (5000 mm)



Handrails

EASY GLASS® - End cap for cap rail 1.3"x1.54" (33x39 mm)



MOD 6732

Aluminum Matt silver effect, anodized

OUTDOOR

16.6732.339.08

2

Handrails

All dimension drawings are in inches

Rubber inlay for cap rail MOD 6920



MOD 50

Accessories

Monolithic	U	T (glass thickness)	
19.5042.211.00	15/16"	1/2" (12 mm)	L=8.2' (2500 mm)
19.5042.216.00	15/16"	19/32" (15 mm)	L=8.2' (2500 mm)
19.5042.219.00	15/16"	3/4" (19 mm)	L=8.2' (2500 mm)

19.5042.011.00	15/16"	1/2" (12 mm)	L=16.4' (5000 mm)
19.5042.016.00	15/16"	19/32" (15 mm)	L=16.4' (5000 mm)
19.5042.019.00	15/16"	3/4" (19 mm)	L=16.4' (5000 mm)

Laminated


19.5042.211.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=8.2' (2500 mm)
19.5042.216.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=8.2' (2500 mm)

19.5042.008.00	15/16"	5/16"-3/8" (8,76-10,76 mm)	L=16.4' (5000 mm)
19.5042.011.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=16.4' (5000 mm)
19.5042.016.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=16.4' (5000 mm)
19.5042.022.00	15/16"	27/32" (21,52 mm)	L=16.4' (5000 mm)

NEW

Handrails

EASY GLASS® - Wall flange for cap rail 1.3"x1.54" (33x39 mm)



MOD 6505

Steel

Powder coated RAL 7047

OUTDOOR

11.6505.339.34

Q5-214 229

2



Q-INFO

MOD 6505 / 6920 / 6732




Powder coated RAL 7047


Matt silver effect

Q-INFO

MOD 6920 / 6732




EASY GLASS® - Connectors for cap rail 1.3"x1.54" (33x39 mm)



MOD 6790


Aluminum	Mill finish		
16.6790.339.00	QS-205	224	2




MOD 6313

Aluminum	Mill finish		
16.6313.339.00	QS-205	224	2

Q-INFO MOD 6313



EASY GLASS® - Connectors for cap rail, adjustable 1.3"x1.54" (33x39 mm)



MOD 6791

Aluminum


Mill finish



16.6791.000.00

QS-261 225

2



MOD 6792

Aluminum

Mill finish




16.6792.000.00

QS-261 225

2

Drilling template set



MOD 6980

Accessories

Q



19.6980.000.00

Q-107 / Q-108

1


Q-INFO MOD 6792

UPSTAIRS


Cut	45°	40°	35°	30°	25°	20°	15°	10°	5°	0°
Outer angle	90°	100°	110°	120°	130°	140°	150°	160°	170°	180°
Distance to edge	1.2	1.18	1.16	1.14	1.12	1.1	1.08	1.06	1.06	1.04

DOWNSTAIRS

Cut	0°	5°	10°	15°	20°	25°	30°	35°	40°	45°
Inner angle	180°	170°	160°	150°	140°	130°	120°	110°	100°	90°
Distance to edge	1.04	1.04	1.02	1.02	1	1	0.98	0.96	0.96	0.94



Q-INFO MOD 6792






Handrails

SATIN

EASY GLASS® - Cap rails, square



MOD 6920 / 6925

304

INDOOR

U



13.6925.040.12	15/16"	1.57" x 1.57" (40 x 40 mm)	L = 8.2' (2500 mm)
13.6920.040.12	15/16"	1.57" x 1.57" (40 x 40 mm)	L = 16.4' (5000 mm)

316

OUTDOOR

U



14.6925.040.12	15/16"	1.57" x 1.57" (40 x 40 mm)	L = 8.2' (2500 mm)
14.6920.040.12	15/16"	1.57" x 1.57" (40 x 40 mm)	L = 16.4' (5000 mm)

PREFIX



Q-INFO

PREFIX

We can deliver the following service according to your specification:



- Cutting
- Bending

Contact us for details.

Handrails

All dimension drawings are in inches

Rubber inlay for cap rail MOD 6920 / 6925



MOD 50

Accessories

Monolithic	U	T (glass thickness)	
19.5042.211.00	15/16"	1/2" (12 mm)	L=8.2' (2500 mm)
19.5042.216.00	15/16"	19/32" (15 mm)	L=8.2' (2500 mm)
19.5042.219.00	15/16"	3/4" (19 mm)	L=8.2' (2500 mm)

19.5042.011.00	15/16"	1/2" (12 mm)	L=16.4' (5000 mm)
19.5042.016.00	15/16"	19/32" (15 mm)	L=16.4' (5000 mm)
19.5042.019.00	15/16"	3/4" (19 mm)	L=16.4' (5000 mm)


Laminated



19.5042.211.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=8.2' (2500 mm)
19.5042.216.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=8.2' (2500 mm)

19.5042.008.00	15/16"	5/16"-3/8" (8,76-10,76 mm)	L=16.4' (5000 mm)
19.5042.011.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=16.4' (5000 mm)
19.5042.016.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=16.4' (5000 mm)
19.5042.022.00	15/16"	27/32" (21,52 mm)	L=16.4' (5000 mm)


NEW

Q-INFO




**MOD 6313**

304			
INDOOR	□		□
13.6313.040.12	1.57" x 1.57" (40 x 40 mm)	2	
316			
OUTDOOR	□		□
14.6313.040.12	1.57" x 1.57" (40 x 40 mm)	2	




25–55°
Downwards

**MOD 6302**


304			
INDOOR	□	H	□
13.6302.040.12	1.57" x 1.57" (40 x 40 mm)	1-3/16"	2
316			
OUTDOOR	□	H	□
14.6302.040.12	1.57" x 1.57" (40 x 40 mm)	1-3/16"	2




25–55°
Upwards

**MOD 6312**



304			
INDOOR	□	H	□
13.6312.040.12	1.57" x 1.57" (40 x 40 mm)	1-3/16"	2
316			
OUTDOOR	□	H	□
14.6312.040.12	1.57" x 1.57" (40 x 40 mm)	1-3/16"	2

**MOD 6790**

304			
INDOOR	□		□
13.6790.040.12	1.57" x 1.57" (40 x 40 mm)	2	
316			
OUTDOOR	□		□
14.6790.040.12	1.57" x 1.57" (40 x 40 mm)	2	

**MOD 6732**

304			
INDOOR	□		□
13.6732.040.12	1.57" x 1.57" (40 x 40 mm)	2	
316			
OUTDOOR	□		□
14.6732.040.12	1.57" x 1.57" (40 x 40 mm)	2	

**MOD 6505**

304			
INDOOR	□	QS-5 225	□
13.6505.040.12	1.57" x 1.57" (40 x 40 mm)	2	
316			
OUTDOOR	□	QS-6 225	□
14.6505.040.12	1.57" x 1.57" (40 x 40 mm)	2	





Handrails


SATIN

EASY GLASS® - Cap rails, rectangular

Handrails

All dimension drawings are in inches

Rubber inlay for cap rail MOD 6920 / 6925



MOD 6920 / 6925

304

INDOOR

U



13.6925.640.12	15/16"	2.36" x 1.57" (60 x 40 mm)	L = 8.2' (2500 mm)
13.6920.640.12	15/16"	2.36" x 1.57" (60 x 40 mm)	L = 16.4' (5000 mm)

316

OUTDOOR

U



14.6925.640.12	15/16"	2.36" x 1.57" (60 x 40 mm)	L = 8.2' (2500 mm)
14.6920.640.12	15/16"	2.36" x 1.57" (60 x 40 mm)	L = 16.4' (5000 mm)





Q-INFO

PREFIX

We can deliver the following service according to your specification:

- Cutting
- Bending

Contact us for details.



MOD 50

Accessories

Monolithic	U	T (glass thickness)	
19.5042.211.00	15/16"	1/2" (12 mm)	L=8.2' (2500 mm)
19.5042.216.00	15/16"	19/32" (15 mm)	L=8.2' (2500 mm)
19.5042.219.00	15/16"	3/4" (19 mm)	L=8.2' (2500 mm)


19.5042.011.00	15/16"	1/2" (12 mm)	L=16.4' (5000 mm)
19.5042.016.00	15/16"	19/32" (15 mm)	L=16.4' (5000 mm)
19.5042.019.00	15/16"	3/4" (19 mm)	L=16.4' (5000 mm)


Laminated			
19.5042.211.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=8.2' (2500 mm)
19.5042.216.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=8.2' (2500 mm)

19.5042.008.00	15/16"	5/16"-3/8" (8,76-10,76 mm)	L=16.4' (5000 mm)
19.5042.011.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=16.4' (5000 mm)
19.5042.016.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=16.4' (5000 mm)
19.5042.022.00	15/16"	27/32" (21,52 mm)	L=16.4' (5000 mm)

NEW

Q-INFO




**MOD 6313**

304			
INDOOR	□		□
13.6313.640.12	2.36" x 1.57" (60 x 40 mm)	2	
316			
OUTDOOR	□		□
14.6313.640.12	2.36" x 1.57" (60 x 40 mm)	2	




25–55°
Downwards

**MOD 6302**


304			
INDOOR	□	H	□
13.6302.640.12	2.36" x 1.57" (60 x 40 mm)	1-3/16"	2
316			
OUTDOOR	□	H	□
14.6302.640.12	2.36" x 1.57" (60 x 40 mm)	1-3/16"	2




25–55°
Upwards

**MOD 6312**



304			
INDOOR	□	H	□
13.6312.640.12	2.36" x 1.57" (60 x 40 mm)	1-3/16"	2
316			
OUTDOOR	□	H	□
14.6312.640.12	2.36" x 1.57" (60 x 40 mm)	1-3/16"	2

**MOD 6790**

304			
INDOOR	□		□
13.6790.640.12	2.36" x 1.57" (60 x 40 mm)	2	
316			
OUTDOOR	□		□
14.6790.640.12	2.36" x 1.57" (60 x 40 mm)	2	

**MOD 6732**

304			
INDOOR	□		□
13.6732.640.12	2.36" x 1.57" (60 x 40 mm)	2	
316			
OUTDOOR	□		□
14.6732.640.12	2.36" x 1.57" (60 x 40 mm)	2	

**MOD 6505**


304			
INDOOR	□	□	□
13.6505.640.12	2.36" x 1.57" (60 x 40 mm)	QS-5 225	2
316			
OUTDOOR	□	□	□
14.6505.640.12	2.36" x 1.57" (60 x 40 mm)	QS-6 225	2





Handrails
SATIN /
MIRROR FINISH

EASY GLASS® - Cap rails, round



MOD 6920 / 6925

Ø 1.66" (42.4 mm)

304

INDOOR	Ø	U	H	H1	
13.6925.042.12	1.66"	15/16"	1-15/32"	15/16"	L = 8.2' (2500 mm)
13.6920.042.12	1.66"	15/16"	1-15/32"	15/16"	L = 16.4' (5000 mm)

316

OUTDOOR	Ø	U	H	H1	
14.6920.042.12	1.66"	15/16"	1-15/32"	15/16"	L = 16.4' (5000 mm)
14.6920.042.10	1.66"	15/16"	1-15/32"	15/16"	L = 16.4' (5000 mm)

NEW

Ø 1.9" (48.3 mm)

304

INDOOR	Ø	U	H	H1	
13.6925.048.12	1.9"	1-1/16"	1-2/3"	1-3/16"	L = 8.2' (2500 mm)
13.6920.048.12	1.9"	1-1/16"	1-2/3"	1-3/16"	L = 16.4' (5000 mm)

316

OUTDOOR	Ø	U	H	H1	
14.6920.048.12	1.9"	1-1/16"	1-2/3"	1-3/16"	L = 16.4' (5000 mm)

PREFIX



Q-INFO MOD 6920



Satin





Mirror finish

Handrails

All dimension drawings are in inches

Rubber inlay for cap rail MOD 6920 / 6925



MOD 50

Ø 1.66" (42.4 mm)

Accessories

Monolithic	U	T (glass thickness)	
19.5042.211.00	15/16"	1/2" (12 mm)	L=8.2' (2500 mm)
19.5042.216.00	15/16"	19/32" (15 mm)	L=8.2' (2500 mm)
19.5042.219.00	15/16"	3/4" (19 mm)	L=8.2' (2500 mm)

19.5042.011.00	15/16"	1/2" (12 mm)	L=16.4' (5000 mm)
19.5042.016.00	15/16"	19/32" (15 mm)	L=16.4' (5000 mm)
19.5042.019.00	15/16"	3/4" (19 mm)	L=16.4' (5000 mm)

Laminated

19.5042.211.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=8.2' (2500 mm)
19.5042.216.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=8.2' (2500 mm)

19.5042.008.00	15/16"	5/16"-3/8" (8,76-10,76 mm)	L=16.4' (5000 mm)
19.5042.011.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=16.4' (5000 mm)
19.5042.016.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=16.4' (5000 mm)
19.5042.022.00	15/16"	27/32" (21,52 mm)	L=16.4' (5000 mm)

NEW


Ø 1.9" (48.3 mm)

Accessories

Laminated	U	T (glass thickness)	
19.5048.011.00	1-1/16"	1/2"-9/16" (12-13,52 mm)	L=16.4' (5000 mm)
19.5048.015.00	1-1/16"	5/8"-11/16" (16,76-17,52 mm)	L=16.4' (5000 mm)
19.5048.022.00	1-1/16"	13/16"-27/32" (20,76-21,52 mm)	L=16.4' (5000 mm)
19.5048.024.00	1-1/16"	31/32"-1" (24,76-25,52 mm)	L=16.4' (5000 mm)

NEW

NEW


**MOD 6313****304**

INDOOR	Ø	H	
13.6313.042.12	1.66" x 0.06" (42.4 x 1.5 mm)	1-3/16"	2
13.6313.048.12	1.9" x 0.06" (48.3 x 1.5 mm)	1-3/8"	2

316

OUTDOOR	Ø	H	
14.6313.042.12	1.66" x 0.06" (42.4 x 1.5 mm)	1-3/16"	2
14.6313.042.10	1.66" x 0.06" (42.4 x 1.5 mm)	1-3/16"	2
14.6313.048.12	1.9" x 0.06" (48.3 x 1.5 mm)	1-3/8"	2

NEW

25–55°
Upwards**MOD 6312****304**

INDOOR	Ø	H	
13.6312.042.12	1.66" x 0.06" (42.4 x 1.5 mm)	1-3/16"	2
13.6312.048.12	1.9" x 0.06" (48.3 x 1.5 mm)	1-3/8"	2


316

OUTDOOR	Ø	H	
14.6312.042.12	1.66" x 0.06" (42.4 x 1.5 mm)	1-3/16"	2
14.6312.042.10	1.66" x 0.06" (42.4 x 1.5 mm)	1-3/16"	2
14.6312.048.12	1.9" x 0.06" (48.3 x 1.5 mm)	1-3/8"	2

NEW

NEW

NEW

**MOD 6792 - EASY HIT®****304**

Raw



INDOOR	Ø	
13.6792.042.00	for 1.66" x 0.06" (42.4 x 1.5 mm)	2
13.6792.048.00	for 1.9" x 0.06" (48.3 x 1.5 mm)	2

316

OUTDOOR	Ø	
14.6792.042.00	for 1.66" x 0.06" (42.4 x 1.5 mm)	2
14.6792.048.00	for 1.9" x 0.06" (48.3 x 1.5 mm)	2




Q-INFO

MOD 6792


Q-21

Q-glue

19.1331.000.00



Q-INFO

MOD 6313 / 6302 / 6312

Satin




Mirror finish

Handrails
SATIN /
MIRROR FINISH

EASY GLASS® - End fittings, round

All dimension drawings are in inches




MOD 6729

304

INDOOR	Ø	
13.6729.042.12	1.66" x 0.06" (42.4 x 1.5 mm)	2
13.6729.048.12	1.9" x 0.06" (48.3 x 1.5 mm)	2

316

OUTDOOR	Ø	
14.6729.042.12	1.66" x 0.06" (42.4 x 1.5 mm)	2
14.6729.048.12	1.9" x 0.06" (48.3 x 1.5 mm)	2




MOD 6738

316

OUTDOOR	Ø	L	
14.6738.042.12	1.66" x 0.06" (42.4 x 1.5 mm)	2-3/8"	2

NEW




MOD 6732

316

OUTDOOR	Ø	
14.6732.042.10	1.66" x 0.06" (42.4 x 1.5 mm)	2

NEW



MOD 6505

304

INDOOR	Ø	D	H		
13.6505.042.12	1.66" (42.4 mm)	3-35/64"	1-3/16"	QS-5	225 2
13.6505.048.12	1.9" (48.3 mm)	3-27/32"	1-3/8"	QS-5	225 2


316

OUTDOOR	Ø	D	H		
14.6505.042.12	1.66" (42.4 mm)	3-35/64"	1-3/16"	QS-6	225 2
14.6505.042.10	1.66" (42.4 mm)	3-35/64"	1-3/16"	QS-6	225 2
14.6505.048.12	1.9" (48.3 mm)	3-27/32"	1-3/8"	QS-6	225 2

NEW



Q-INFO MOD 6729 / 6732 / 6505




Satin



Mirror finish

Q-INFO MOD 6738




MIRROR FINISH

Handrails

MIRROR FINISH

EASY GLASS® - Cap rails, round



MOD 6920

316					
OUTDOOR	Ø	U	H	H1	
14.6920.042.10	1.66"	15/16"	1-15/32"	15/16"	L = 16.4' (5000 mm)

NEW

PREFIX



Handrails

Rubber inlay for cap rail MOD 6920



MOD 50

Accessories				
Monolithic	U	T (glass thickness)		
19.5042.211.00	15/16"	1/2" (12 mm)	L=8.2' (2500 mm)	
19.5042.216.00	15/16"	19/32" (15 mm)	L=8.2' (2500 mm)	
19.5042.219.00	15/16"	3/4" (19 mm)	L=8.2' (2500 mm)	
19.5042.011.00	15/16"	1/2" (12 mm)	L=16.4' (5000 mm)	
19.5042.016.00	15/16"	19/32" (15 mm)	L=16.4' (5000 mm)	
19.5042.019.00	15/16"	3/4" (19 mm)	L=16.4' (5000 mm)	
Laminated				
19.5042.211.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=8.2' (2500 mm)	
19.5042.216.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=8.2' (2500 mm)	
19.5042.008.00	15/16"	5/16"-3/8" (8,76-10,76 mm)	L=16.4' (5000 mm)	
19.5042.011.00	15/16"	1/2"-9/16" (12,76-13,52 mm)	L=16.4' (5000 mm)	
19.5042.016.00	15/16"	5/8"-11/16" (16,76-17,52 mm)	L=16.4' (5000 mm)	
19.5042.022.00	15/16"	27/32" (21,52 mm)	L=16.4' (5000 mm)	

NEW

Handrails

All dimension drawings are in inches

MIRROR FINISH

EASY GLASS® - Connectors, round




MOD 6313

316				
OUTDOOR	Ø	H		
14.6313.042.10	1.66" x 0.06" (42.4 x 1.5 mm)	1-3/16"	2	

NEW



25-55°
Upwards




MOD 6312

316				
OUTDOOR	Ø	H		
14.6312.042.10	1.66" x 0.06" (42.4 x 1.5 mm)	1-3/16"	2	

NEW



25-55°
Downwards



MOD 6302

316				
OUTDOOR	Ø	H		
14.6302.042.10	1.66" x 0.06" (42.4 x 1.5 mm)	1-3/16"	2	

NEW



Handrails

MIRROR FINISH

EASY GLASS® - End fittings, round



MOD 6732

316				
OUTDOOR	Ø	H		
14.6732.042.10	1.66" x 0.06" (42.4 x 1.5 mm)		2	

NEW



