


BAR AND TUBE INFILLS

Infills
SATIN Q-LINE - Bars for infills




MOD 8925 / 0900

Ø 1/2" (12.0 mm)

304			
INDOOR	Ø		
13.8925.012.12	1/2" (12.0 mm)	L = 8.2' (2500 mm)	
13.0900.012.12	1/2" (12.0 mm)	L = 16.4' (5000 mm)	
316			
OUTDOOR	Ø		
14.0900.012.12	1/2" (12.0 mm)	L = 16.4' (5000 mm)	



Infills
SATIN Q-LINE - Tubes for infills



MOD 8925 / 0900

Ø 5/8" (16.0 mm)


304			
INDOOR	Ø		
13.8925.016.12	5/8" (16.0 mm)	L = 8.2' (2500 mm)	
13.0900.016.12	5/8" (16.0 mm)	L = 16.4' (5000 mm)	
316			
OUTDOOR	Ø		
14.0900.016.12	5/8" (16.0 mm)	L = 16.4' (5000 mm)	



Infills
SATIN Q-LINE - Connectors, adjustable



-90°
+90°




MOD 0302

304			
INDOOR	Ø	H	
13.0302.012.12	1/2" (12.0 mm)	1-27/64"	6
316			
OUTDOOR	Ø	H	
14.0302.012.12	1/2" (12.0 mm)	1-27/64"	6



-90°
+90°




MOD 0302

316			
OUTDOOR	Ø		
14.0302.016.12	5/8" x 0.039" (16.0 x 1.0 mm)		6



Infills
SATIN Q-LINE - Connector




MOD 0790

316			
OUTDOOR	Ø		
14.0790.016.12	5/8" x 0.039" (16.0 x 1.0 mm)		4



Infills
SATIN Q-LINE - End cap




MOD 0729

316			
OUTDOOR	Ø	H	
14.0729.016.12	5/8" x 0.039" (16.0 x 1.0 mm)	5/32"	2



Flat - bar

**MOD 0850****304****INDOOR**

13.0850.000.12

QS-123 224




4



Flat - bar

Adjustable

**MOD 0855****304****INDOOR**

13.0855.000.12


QS-116 224



4



Tube - bar

**MOD 0850****304****INDOOR****D**

13.0850.038.12 Ø 1-1/2" (38.1 mm)

QS-123 224



4

13.0850.048.12 Ø 1.9" (48.3 mm)

QS-123 224




4

NEW



Tube - bar

Adjustable

**MOD 0855****304****INDOOR****D**

13.0855.038.12 Ø 1-1/2" (38.1 mm)

QS-116 224



4

13.0855.048.12 Ø 1.9" (48.3 mm)

QS-116 224



4







NEW



**Q-INFO**

Screw no.	QS-123
Article no.	94.0680.620.13
Description	1/4-20 x 3/4" Socket head cap screw, Type 18-8 stainless steel
Drill size	7/32"
Tap size	1/4-20 3A

Q-INFO

Screw no.	QS-116
Article no.	94.0670.625.14
Description	1/4-25 x 1" Hexagon socket countersunk cap screw
Drill size	7/32"
Tap size	1/4-25 3A


Q-INFO**MOD 0850.0xx**



Center

MOD 0831 - Ø 1/2" (12.0 mm)


304				
INDOOR	Ø			
13.0831.000.12	1/2" (12.0 mm)	QS-113	224	4
316				
OUTDOOR	Ø			
14.0831.000.12	1/2" (12.0 mm)	QS-113	224	4



Left

MOD 0832 - Ø 1/2" (12.0 mm)



304				
INDOOR	Ø			
13.0832.000.12	1/2" (12.0 mm)	QS-113	224	4
316				
OUTDOOR	Ø			
14.0832.000.12	1/2" (12.0 mm)	QS-113	224	4



Right

MOD 0833 - Ø 1/2" (12.0 mm)


304				
INDOOR	Ø			
13.0833.000.12	1/2" (12.0 mm)	QS-113	224	4
316				
OUTDOOR	Ø			
14.0833.000.12	1/2" (12.0 mm)	QS-113	224	4



Center

MOD 0840 - Ø 5/8" (16.0 mm)


304				
INDOOR	Ø			
13.0840.000.12	5/8" (16.0 mm)	QS-120	224	4
316				
OUTDOOR	Ø			
14.0840.000.12	5/8" (16.0 mm)	QS-120	224	4

**Q-INFO MOD 0830****Q-INFO**

Screw no.	QS-113
Article no.	94.0670.520.14
Description	10-24 x 3/4" Socket flat head cap screw, Type 316 stainless steel
Drill size	#20
Tap size	10-24 3A

Q-INFO

Screw no.	QS-120
Article no.	94.0670.825.14
Description	5/16-18 x 1" Socket flat head cap screw, Type 316 stainless steel
Drill size	J
Tap size	5/16-18 3A







**MOD 0830 - D 1/2" (12.0 mm)**

304			
INDOOR	Ø		
13.0830.012.12	1/2" (12.0 mm)		4




MOD 8925, 0900
182

All crossbar holders are made to pair with our 1/2" (12.0 mm) bars and our 5/8" (16.0 mm) tubes

Q-INFO MOD 0831 / 0832 / 0833 / 0840

Ø 1/2" = Drill size #20 = Tap size 3/16-24 3A
Ø 5/8" = Drill size J = Tap size 5/16-18 3A




Center

MOD 0830 - Ø 1/2" (12.0 mm)**304**

INDOOR	Ø	D		
13.0830.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113 224	4

316

OUTDOOR	Ø	D		
14.0830.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113 224	4





Left

MOD 0832 - Ø 1/2" (12.0 mm)**304**

INDOOR	Ø	D		
13.0832.038.12	1/2" (12.0 mm)	1-1/2" (38.1 mm)	QS-113 224	4
13.0832.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113 224	4

316

OUTDOOR	Ø	D		
14.0832.038.12	1/2" (12.0 mm)	1-1/2" (38.1 mm)	QS-113 224	4
14.0832.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113 224	4





Center

MOD 0831 - Ø 1/2" (12.0 mm)**304**

INDOOR	Ø	D		
13.0831.038.12	1/2" (12.0 mm)	1-1/2" (38.1 mm)	QS-113 224	4
13.0831.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113 224	4

316

OUTDOOR	Ø	D		
14.0831.038.12	1/2" (12.0 mm)	1-1/2" (38.1 mm)	QS-113 224	4
14.0831.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113 224	4




Right

MOD 0833 - Ø 1/2" (12.0 mm)**304**

INDOOR	Ø	D		
13.0833.038.12	1/2" (12.0 mm)	1-1/2" (38.1 mm)	QS-113 224	4
13.0833.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113 224	4

316

OUTDOOR	Ø	D		
14.0833.038.12	1/2" (12.0 mm)	1-1/2" (38.1 mm)	QS-113 224	4
14.0833.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113 224	4



Center

MOD 0840 - Ø 5/8" (16 mm)**304**

INDOOR	Ø	D		
13.0840.038.12	5/8" (16 mm)	1-1/2" (38.1 mm)	QS-120 224	4
13.0840.048.12	5/8" (16 mm)	1.9" (48.3 mm)	QS-120 224	4

NEW

316


OUTDOOR	Ø	D		
14.0840.038.12	5/8" (16 mm)	1-1/2" (38.1 mm)	QS-120 224	4
14.0840.048.12	5/8" (16 mm)	1.9" (48.3 mm)	QS-120 224	4

NEW


**MOD 8925, 0900**
182

All crossbar holders are made to pair with our 1/2" (12.0 mm) bars and our 5/8" (16.0 mm) tubes

Q-INFO




1




2


Ø 1/2" = Drill size #20
Ø 5/8" = Drill size J



3



4



5

Assembly video:
q-railing.com/
qr-crossbar-holders







Infills

SATIN

Q-LINE - Crossbar holders

All dimension drawings are in inches

Tube connection



Outer corner

MOD 0839 - Ø 1/2" (12.0 mm)


304

INDOOR

	Ø	D		
13.0839.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113	224 4

316

	Ø	D		
14.0839.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113	224 4



Inner corner

MOD 0834 - Ø 1/2" (12.0 mm)

304

INDOOR

	Ø	D		
13.0834.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113	224 4


316

	Ø	D		
14.0834.048.12	1/2" (12.0 mm)	1.9" (48.3 mm)	QS-113	224 4



Q-INFO

MOD 0834 / 0839



Q-INFO



Screw no.	QS-113
Article no.	94.0670.520.14
Description	10-24 x 3/4" Socket flat head cap screw, Type 316 stainless steel
Drill size	#20
Tap size	10-24 3A